

Key Features

- Patented 3-in-1 smart stand for 360° projection
- Side projection capability enabled by H/V keystone correction & 4corner adjustment
- · Powerful sound delivered by builtin Harman Kardon speakers
- Up to 4 hours of battery life with power bank compatibility
- Smart capabilities: Wi-Fi screen mirroring, USB-C streaming, and Bluetooth connectivity





Product **Description**

The M1X ultra-portable smart LED projector is your gateway to an exhilarating entertainment experience! Weighing less than 1kg and boasting signature ViewSonic M1 series designs, it features a patented 3-in-1 smart stand for a 360-degree customizable projection angle, lens cover, and auto-power-on. With vivid colors on a massive up-to-100" screen and Harman Kardon speakers, immerse yourself indoors or outdoors in unparalleled audio-visual bliss. Its 4-hour battery life, power bank compatibility, and comprehensive H/V keystone correction with 4-corner adjustments make this lightweight projector your ultimate entertainment companion. Enjoy seamless connectivity, including Bluetooth, Wi-Fi, USB-C for direct content display from mobile devices – including the latest iPhone. Alternatively, plug in popular streaming devices like Chromecast, Apple TV, and Fire TV Stick, powered through the M1X's USB-A port.





138 mm

- 2. Focus Ring
- 3. Touch Keypad
- 8. Audio Out 10. USB-A (5V/1.5A)

https://www.viewsonic.com/eu/products/sheet/M1X

- 4. IR Receiver 5. Smart Stand 6. DC In (19V) 7. USB-C (5V/1.5A)

Visit Us www.viewsonic.com

SPECIFICATION

OTHERS

3F LCIFICATION		OTTIEKS	
Native Resolution:	854x480	Power Supply Voltage:	Power adaptor: Input: 100~240V Output: 19VDC / 3.26A Battery: 12000mAh(4000mAh 3.7Vx3) (2.5hrs@Normal,
Brightness:	360 (LED Lumens)		
Contrast Ratio:	120000:1 1.07 Billion Colors		
Display Color:	LED		
Light Source Life (hours) with	LED		3hrs@Eco)
Light Source Life (hours) with Normal Mode:	60000	Power Consumption:	Normal: 35W Standby: <0.5W
Lens:	F=1.7, f=5.5mm	Operating Temperature:	0~35°C
Projection Offset:	100%+/-5%	Carton:	Color
Throw Ratio:	1.2	Net Weight:	0.8kg
Optical Zoom:	Fixed	Gross Weight:	1.87kg
Image Size:	24"-100"	Dimensions (WxDxH) with	166x138x54mm
Throw Distance:	0.64m-2.66m (38"@1m)	Adjustment Foot: Packing Dimensions:	220x190x125mm
Keystone:	H:+/-40° , V: +/-40°		English, French,
Audible Noise (Normal):	26dB	OSD Language:	Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, Hindi, Arabic, Vietnamese, Greek, Total 23
Audible Noise (Eco):	25dB		
Local Storage:	Total 16GB (12GB available storage)		
Input Lag:	73ms		
Resolution Support:	VGA(640 x 480) to FullHD(1920 x 1080)		languages English, S-Chinese, T-
HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	User Guide Language:	Chinese, Indonesian, Finish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai,
Horizontal Frequency:	15K-102KHz		
Vertical Scan Rate:	23-120Hz		
INPUT			
HDMI:	1 (HDMI 1.4/ HDCP 1.4)	language	Vietnamese, total 20 languages
USB Type C:	1 (5V/1.5A)	STANDARD ACCESSORY	
Audio-in (Bluetooth):	1 (BT4.2)	Power Cord:	1
USB Type A:	1 (USB2.0 Reader)	USB-C Cable: Remote Control:	1 (1m) 1
Wifi Input:	1 (5Gn)		(BT w/o backlit)
OUTPUT		QSG:	Yes
Audio-out (3.5mm):	1	Warranty Card:	Yes (CN & JP)
Audio-out (Bluetooth):	1 (BT4.2)	Sleeve Bag:	Yes
Speaker:	3W Cube x2 (Full range x2)		
USB Type A (Power):	1 (USB2.0 - 5V/1.5A, share with USB A Input)		
CONTROL			
USB Type A (Services):	1 (share with USB A Input)		

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.